




Strive for  
your vision.

# Leading performance

Top Performance allows more juice to be extracted per orange



## Innovation without limits

Dismantle in one step with the new 1Step Kit

## Service Solutions


Warranty + Zumex care - an extra protection plan for your needs



+



- No cycle limit
- No maintenance contract



Zumex means:

Expert,  
Explorer,  
Extraordinary



# Multifruit


Pure power,  
unlimited creativity.



Fruits: For all your non-citrus needs



Features



High performance commercial juicer.

Titanium disc, maximum shredding power and sharper cutting for all fruit and vegetables.

The brushless motor is more powerful and can be used 4 times longer than a conventional motor, with no friction and no heat release.

Two speeds: the speed can be regulated between 3,500 and 4,500 rpm.

More hygienic tap with improved grip and optimised flow.

## Specifications

Performance	120 kg/h - 1.8 l/min 264 ½ lb/hr - ½ gal/min	Voltage	220-240 V   50-60 Hz 115 V   60 Hz
Waste capacity	28 lb	Power output	870 W   1.17 HP
Diameter of fruit	Up to 75 mm	Consumption	1.8 A

Safety


Double micro switch on handle and one on wastebasket. Safety detection system and thermal overload relay

See dimensions and net weight at [zumex.com](http://zumex.com)



# Juicing solutions

Find the commercial juicer that best suits the needs of your business consumption category.



## Food Retail

- Bakeries
- Health Bars
- Restaurants
- HoReCA sector



## Food Service

- Hospitality
- Franchises
- Supermarkets
- Convenience stores

## Industrial

- Produce growers
- Small/Medium juice manufacturers
- Central kitchens
- Hotels/Resorts


# Soul Series 2

Design and intelligence in the smallest space.



## Fruits:


Oranges | Tangerines | Limes | Lemons



Juicing kits for all citrus fruits. Squeezes from 42 to 81 mm.

Push&Juice, with intuitive color-coded warning button.

## Features



PulpOut System, automatic filter-sweeper to remove excess pulp and seeds.

1Step Case Out, clean and convenient juicing unit collection.

## Specifications

Fruits per minute	M/S KIT: 18 fruits / min XS KIT: 36 fruits / min	Voltage	Multi-voltage 100-240 V   50-60 Hz
Feeder capacity	3 / 6 oranges, 7 / 8 limes	Power output	100 W   0.134 HP
Diameter of fruit	M Kit (Std) 64 - 81 mm S Kit (Op) 45 - 65 mm XS Kit (Limes Ed) 42 - 52 mm	Consumption	MODERATE 
Safety	Microswitch on door and motor locking detection mechanism	See dimensions and net weight at <a href="http://zumex.com">zumex.com</a>	

# Minex

Colorful Evolution.



## Fruits:


Oranges



## Colors:



## Features



8 oz = 15"



WARRANTY

Top Performance squeezing system, with extra yield and no cycle limit.

Two ways of serving the juice: with a self-service, non-drip tap or with an integrated decanter.

Efficient and clean with ASP® antibacterial nanotechnology

Built-in waste bucket.

## Specifications

Fruits per minute	13 fruits / min	Voltage	Multi-voltage 100-240 V   50-60 Hz
Feeder capacity	6 / 7 fruits	Power output	0.2 A   0.45 A
Diameter of fruit	65 - 78 mm	Consumption	MODERATE 

Safety

Triple safety detector and motor locking detection mechanism

See dimensions and net weight at [zumex.com](http://zumex.com)



# Basics

Just push a button.

## Essential Basic




## Versatile Basic



### Fruits:

Oranges | Tangerines | Limes | Lemons



Push & Juice, with intuitive color-coded button.

Juicing kits for all citrus fruits. Squeezes from 45 to 81 mm.


### Features

Tap comes with Easy Press front push button and a special position for automatic dispensing.



The anti-drip tap allows juice to be poured directly into a glass or jar, while the built-in waste container collects fruit residues to keep your business spotless.

## Specifications

Fruit per minute	27 fruits / min	Voltage	115 V   60 Hz 220-240 V   50-60 Hz
Feeder capacity	Essential Basic 6 / 7 fruits Versatile Basic 22 lbs	Power output	320 W   0.43 HP 300 W   0.40 HP
Diameter of fruit	M Kit (Std) 65 - 81 mm S Kit (Op) 45 - 67 mm	Consumption	MEDIUM 

### Safety

Double safety detector and motor seizure detection

See dimensions and net weight at [zumex.com](http://zumex.com)



# Essential Pro <sup>Pulpout</sup> Maximum simplicity.



## Fruits:

Oranges | Tangerines | Limes | Lemons



## Features



Manual feeder with capacity for 4-5 fruits, making juicing easier.

All NEW Automatic pulp conveyor belt with 2 user modes and Auto-clean function.

## Operating modes:

**Self-service:** the machine serves the juice directly into a glass or jug one tap is pressed.

**Autostart:** the juicer starts up automatically when the citrus fruit is placed into the feeder.

## Specifications

Fruits per minute	27 fruits / min	Voltage	115 V   60 Hz 220-240 V   50-60 Hz
Feeder capacity	4 / 5 fruits	Power output	300 W   0.40 HP 320 W   0.43 HP
Diameter of fruit	M Kit: 65 - 81 mm S Kit (Op): 45 - 67 mm	Consumption	MEDIUM 

## Safety

Double safety detector and motor seizure detection

See dimensions and net weight at [zumex.com](http://zumex.com)



# Versatile Pro Absolute autonomy.



## Fruits:

Oranges | Tangerines | Limes | Lemons



Ultra-smooth feeder system with front door for easy loading of fruit.

1Step Kit, so you can remove the entire juicing system quickly and easily.

## Features



## Operating modes:

Self-service: the machine serves the juice directly into a glass or jug once tap is pressed.

Professional: serves juice in continuous mode. The number of oranges can be programmed.

## Specifications

Fruits per minute	27 fruits / min	Voltage	115 V   60 Hz 220-240 V   50-60 Hz
Feeder capacity	35 lb   16 kg	Power output	320 W   0.43 HP 380 W   0.51 HP
Diameter of fruit	M Kit: 65 - 81 mm S Kit (Op): 45 - 67 mm	Consumption	MEDIUM 

## Safety

Double safety detector and motor locking detection mechanism

See dimensions and net weight at [zumex.com](http://zumex.com)



# Versatile Star

The most compact self-service juicer on the market.



## Fruits:

Oranges | Tangerines | Limes | Lemons



## Features:




1Step Kit, clean and convenient juicing unit extraction.

Self-service mode: the juice is served directly into the glass or jug.

The Waste Limit function helps to monitor the filling level of the waste trolley.

## Specifications

Fruits per minute	40 fruits / min	Voltage	115 V   60 Hz 230V   50 Hz
Feeder capacity	44 lb   20 kg	Power	280W   0.38 HP 360W   0.48 HP
Diameter of fruit	M Kit: 65 - 81 mm S Kit (Op): 45 - 67 mm	Consumption	HIGH 

## Safety

Double safety detector and motor locking detection mechanism

See dimensions and net weight at [zumex.com](http://zumex.com)



# Speed Up

The fastest and sturdiest commercial juicer.



## Fruits:

Oranges | Grapefruit | Tangerines  
Limes | Lemons



## Features:



2Services tap in countertop model.

With bottle holder available in 3 sizes:  
34.4 mm | 36 mm | 38 mm.

Wide or Slim steel podium or Juice  
Corner wooden cabinet.

## Specifications

Fruits per minute 40 fruits / min

Voltage 120 V | 60 Hz  
220-240 V | 50-60 Hz

Feeder capacity 44 lb | 20 kg

Power output 320 W | 0.43 HP  
460 W | 0.62 HP

Diameter of fruit M Kit: 65 - 81 mm  
S Kit (Op): 45 - 67 mm  
L Kit (Op): 75 - 95 mm

Consumption HIGH  


## Safety

Triple safety detector and motor  
locking detection mechanism

See dimensions and net  
weight at [zumex.com](http://zumex.com)



# Speed S<sup>+</sup>plus

The highest performance commercial juicer.



## Fruits:

Oranges | Grapefruit | Tangerines  
Limes | Lemons



## Features:



1Step Kit, so you can remove the entire juicing system quickly and easily.

2Services tap with front push-button and bottle holder available in 3 sizes:

34.4 mm | 36 mm | 38 mm.

## Specifications

Fruits per minute 40 fruits / min

Voltage 120 V | 60 Hz  
220-240 V | 50-60 Hz

Feeder capacity 44 lb | 20 kg

Power output 320 W | 0.43 HP  
460 W | 0.62 HP

Diameter of fruit M Kit: 65 - 81 mm  
S Kit (Op): 45 - 67 mm  
L Kit (Op): 75 - 95 mm

Consumption HIGH



## Safety

Triple security detector  
and engine stall detection

See dimensions and net  
weight at [zumex.com](http://zumex.com)



# Speed S<sup>+</sup>plus Tank Podium

Discover the next level.



## Fruits:

Oranges | Grapefruit | Tangerines  
Limes | Lemons



## Features:




1Step Kit, so you can remove the entire juicing system quickly and easily.

2Services tap with front push-button.

The advantage of a 1 gal juice tank, with no risk of overflowing

## Specifications

Fruits per minute	40 fruits / min	Voltage	120 V   60 Hz 220-240 V   50-60 Hz
Feeder capacity	44 lb   20 kg	Power output	320 W   0.43 HP 460 W   0.62 HP
Diameter of fruit	M Kit: 65 - 81 mm S Kit (Op): 45 - 67 mm L Kit (Op): 75 - 95 mm	Consumption	HIGH 

## Safety

Triple security detector and engine stall detection

See dimensions and net weight at [zumex.com](http://zumex.com)



# Speed Pomegranates

Easy, fast and non-stop  
pomegranate juice.



## Fruits:

Pomegranates | Oranges



## Features




Juicing system especially designed for pomegranates.

PulpOut System. Extra large conveyor belt to remove seeds and optimize performance.

Hardwearing titanium blade ensures excellent cutting and durability.

## Specifications

Fruits per minute	30 pomegranate / min	Voltage	230 V   50 Hz 230 V   60 Hz
Feeder capacity	44 lb   20 kg	Power	325 W   0.44 HP 420 W   0.56 HP
Diameter of fruit	M Kit: 75 - 95 mm S Kit (Op): 65 - 85 mm Orange Kit (Op): 65 - 81 mm	Consumption	HIGH 

## Safety


4 safety detectors and motor locking detection mechanism

See dimensions and net weight and net weight at [zumex.com](http://zumex.com)





# Size Chart

Grapefruit | Lemons | Limes  
Oranges | Pomegranate





## Limes

## Lemons



## Oranges

## Grapefruit



## Pomegranate

# Zitrox®

The Next Generation of Juicers

## Self-Sanitization. Automation. More Profits



Shopper

Theatrization: Catchy effect feeding juicer one-by-one.  
Experience: New fresh orange juicer made myself. Visual:  
New display call to action.



Staff

Ergonomy: Easy loading of oranges and better productivity.  
Autonomy: More than 30 liters (70Kgs) and +100 bottles.  
Easy Cleaning: Less than 5 min to clean the machine.



Supermarket

Food Safety: Sanitizing process thanks to more than 72°C and cleaning agent.  
Self-Care: Not necessary labor hours during the opening.  
Intelligent: IoT to control the revenue, liters counter and new concept tap.

**zumex®**



MORE INFO

[zumex.com](http://zumex.com)

# Zitrix

Pure power, creativity  
without limits.



## Features:



Video screen to attract the public and show the simple use of the machine.

With support for 38 mm bottles. Integrated bottle dispenser.

Water hardness required for optimum operation between 5°F and 8°F.

## Specifications

Fruits per minute	40 fruits / min	Voltage	220–240 V   50 Hz
Feeder capacity	165 lb   75 kg	Power	Squeezing 260W   0.34 HP Cleaning with detergent 2300 W   3.08 HP
Fruit diameter	Kit M: 65 - 81 mm	Safety	Double detector of access to moving parts. Engine blockage detection.


Bottle capacity 4 trays  
1 litre bottles | 96 bottles  
50 cl bottles | 122 bottles  
33 cl bottles | 122 bottles  
25 cl bottles | 144 bottles

See dimensions and net weight at [zumex.com](http://zumex.com)



# Zitrox Compact

Design and intelligence  
in the minimum space.



## Features:



New volumetric tap with IoT technology.

With support for 38 mm bottles.

Water hardness necessary for optimal operation between 5°FH and 8°FH.

The most compact juicer cleans and sanitizes itself.

## Specifications

Fruits per minute	40 fruits / min	Voltage	208-240 V   50-60 Hz
Feeder capacity	66 lb   30 kg	Power	Squeezing 260W   0.34 HP Cleaning with detergent 2100 W   2.81 HP
Fruit diameter	Kit M: 65 - 81 mm	Safety	Double detector of access to moving parts. Engine blockage detection.

Consumption

Squeezing 1.2 A Cleaning with detergent 10.4 A Rinse 2 A

See dimensions and net weight at [zumex.com](http://zumex.com)



# PineOmatic

Peel and cut natural pineapple without a fuss.



## Models:



Display with video to engage customers and demonstrate how easy it is to use the machine.

Contactless. Very easy 3-step self-service operation.

Integrated container dispenser. Built-in pineapple display case. Continuous animation during the process.

## Specifications

Speed	30" / pineapple	Voltage	220-240V   50-60Hz
Display capacity	8 units	Power output	200 W
Size	Size 6   Size 7   Size 8 (Choose machine settings according to the desired size)	Waste capacity	40 pineapples

Recommended container size

Size 6 and 7: 124 mm - Ø118 mm  
Size 8: 108 mm - Ø118 mm

See dimensions and net weight and net weight at [zumex.com](http://zumex.com)



## INDUSTRIAL


# Modular solutions for preparing juices

Ideal for **small and medium-scale juice production** from all kinds of fruits and vegetables.



### SQUEEZING

EXTRACTION  
CITRUS FRUIT



### CITRUS


Z450

ORANGE  
TANGERINE  
GRAPEFRUIT  
LEMON LIME  
POMEGRANATE

### CRUSHING AND PRESSING

COLDPRESS  
CONTINUOUS BELT  
PRESS

COLDPRESS



### MULTIFRUIT

ZMF400 & DEPULPER ZDF1000

STRAWBERRY  
RASPBERRY  
PEAR APPLE  
BEETROOT  
CUCUMBER  
APRICOT  
PLUM  
PINEAPPLE  
GINGER  
CARROT  
PEACH

*Mastery*

KALE  
SPINACH  
PAPAYA  
PLANT MILK\*

\* Only Mastery

Mastery

Cold Press new generation.



**Features:**



**Fruits:**



Shorter, folding, and with built-in pusher, it reduces action space, improving access and increasing hygiene, safety and efficiency.

It speeds up and makes loading easier, providing a greater and effortless push. The greater adjustment between pusher and high resistance shredder discs fully optimizes the crushing process.

It has a safety stop system during shredding, when the feeder input is released.

**Specifications**

Production Capacity	Up to 30 gal/h   110 l/h	Voltage	Single Phase 220-240 V   50-60 Hz
Juice Tank Capacity	3 gal   11 l	Power	Press Power 0.75 W   1 HP Shredder Power 1.5 W   2 HP
Maximum Pressure	11 Tons of Total Power	Touch display	4.3" color screen
Safety	Quadruple detector of access to moving parts. Engine blockage detection.	See dimensions and net weight at zumex.com	





### Features:



Effortless Maintenance



Stainless Steel



Bucket Elevator



Speed Regulator



Control Panel



Output Rate  
118/Gal - 238/Gal



Pomegranate Version



Squeeze All Citrus



Three Juicing Kits



Fruit Size  
2 in - 4 in

The best option both if you are **importers - exporters of fruit or if you are a small producer**. Perfect for **supermarket chains, hotels, catering, juice bars or organic produce shops**.

Robust and reliable machine for extracting juice from oranges, tangerines, grapefruit, limes, lemons and pomegranates thanks to the Z450P Pomegranate version.

The juice extractors pre-assembled and factory tested before delivery for quick and easy installation.

### Specifications

Fruits per minute	140 fruits / min	Voltage	W. 3 phases 220-380 / 50-60 Hz
Feeder capacity	80 lb   36 kg	Power output	2010 W
Diameter of fruit	M Kit: 88 - 125 mm S Kit (Op): 125 - 163mm L Kit (Op): 56 - 88 mm	Consumption	9.13 A / 5.28 A

Safety

Control Panel: 1 general switch, 2 emergency stop push button

See dimensions and net weight at [zumex.com](http://zumex.com)



# MULTIFRUIT<sup>ZMF400</sup>

Continuous  
belt press.



## Features:



All types of fruit and vegetables



Low-speed pressing



Best quality, maximum performance



Pulp input and output adjustment



Pressing band tension and speed control



Pressing band speed: 7.2 ft/min



Average production 400 kg/h - 2000 kg/h



Continuous pressing band cleaning

Combining the crushing, pulp removal and pressing units, we configure the best solution for extracting juice from a large variety of fruit and vegetables with or without stone (for stone fruits connect to our ZDF1000 depulper inlet).

Low speed continuous belt press system with tension adjustment for optimal performance, maximum juice quality and yield.

Integrated continuous mode easy-to-clean band for minimum clean down time and labor costs savings.

## Specifications

Capacity	Up to 880 lb/h   400 kg/h	Voltage	W. 3 phases 220 / 50-60 Hz
	Up to 1800 lb/h   800 kg/h		
	Up to 2600 lb/h   1200 kg/h		
Belt speed	7.2 ft/min   2.2 m/min	Power output	2940 W
Water consumption	0.52 gal/min   2 l/min	Consumption	13.36 A

## Safety

Control Panel: general switch and emergency stop push button

See dimensions and net weight at [zumex.com](http://zumex.com)



# 5 year Warranty

Register your product on our website  
within 3 months of purchase and  
extend your warranty from 2 to 5 years.

---



-No cycle limit  
-No maintenance contract




-More information



## Guaranteed quality and reliability

Zumex juicing solutions comply with the most  
demanding international certifications, ensuring  
maximum quality, safety and hygiene.





---

Zumex North America  
1573 NW 82nd Ave, Miami,  
FL 33126 USA  
Tel. +1 305 591 0061  
[zumexusa@zumex.com](mailto:zumexusa@zumex.com)

---

Zumex Group | Headquarters  
Pol. Ind. Moncada III -  
C/Moli 2 46113  
Moncada - Valencia - Spain  
Tel: +34 961 301 251  
[zumez@zumex.com](mailto:zumez@zumex.com)

---

Zumex México  
Uxmal 616, Colonia Vértiz  
Narvarte Delegación Benito  
Juárez CP 03600, Ciudad de  
México - México  
Tel.: +52 (55) 5212-0619  
[zumexmexico@zumex.com](mailto:zumexmexico@zumex.com)

---

Zumex France  
14 Rue du Pont Neuf, 75001  
Paris - Francia  
Tel: +33 975 187 354  
[zumexfrance@zumex.com](mailto:zumexfrance@zumex.com)

---